

WOA CARCASS GRADING SYSTEM

January 4th, 2003

Version 1.0

H CARCASS/MEAT GRADE	ES
Prime	
Choice	
Select	
Utility	
Non-Food	
_	Prime Choice Select Utility

Prime Grade Defined		
<u>ltem</u>	Status or Condition	
Bird Age	Less than 16 months of age	
Fat Pan Color	White Fat Pan color only	
Muscle Color	Even red muscle color throughout	
Heart Condition	Heart of normal size, color & texture with no damage	
Liver Condition	Mid-brown color with no abscess/ulcerations	
Disease Condition	No disease symptoms or evidence	
Other Condition	No Oedema or "jell" substance on heart, thigh or sternum	

Note: A Prime Grade carcass will yield the highest amount of primary meat cuts with a consistent degree of tenderness throughout all the primary meat muscles.



Choice Grade Defined		
<u>ltem</u>	Status or Condition	
Bird Age	16 to 24 months of age	
Fat Pan Color	White Fat Pan color only	
Muscle Color	Even red muscle color throughout	
Heart Condition	Heart of normal size, color & texture with no damage	
Liver Condition	Mid-brown color with no abscess/ulcerations	
Disease Condition	No disease symptoms or evidence	
Other Condition	No Oedema or "jell" substance on heart, thigh or sternum	

Note: A Choice Grade Ostrich carcass will yield a few primary meat cuts, if carefully selected, with a reasonable degree of tenderness. The majority of the Choice carcass will be secondary meat cuts and ground meat.

Select Grade Defined		
<u>ltem</u>	Status or Condition	
Bird Age	25 months of age and older	
Fat Pan Color	White Fat Pan color only	
Muscle Color	Even red muscle color throughout	
Heart Condition	Heart of normal size, color & texture with no damage	
Liver Condition	Mid-brown color with no abscess/ulcerations	
Disease Condition	No disease symptoms or evidence	
Other Condition	No Oedema or "jell" substance on heart, thigh or sternum	

Note: A Select Grade carcass should ONLY be used for value-added products and ground meat products.



Utility Grade Defined		
<u>ltem</u>	Status or Condition	
Bird Age	Any age of bird	
Fat Pan Color	Yellow Fat Pan color	
Muscle Color	Multi-coloring of muscles (pink to dark red)	
	White color areas in some muscles	
Heart Condition	Small, damaged or spongy texture heart	
Liver Condition	Yellow, Green or Black Color	
	Liver abscesses or ulcerations	
Disease Condition	No disease symptoms or evidence	
Other Condition	Oedema or "jell" substance on heart, thigh or sternum	

Note: A Utility Grade carcass should ONLY be used for value-added products and NOT for primary cuts, secondary cuts, or ground meat products.

Non-Food Grade Defined		
<u>ltem</u>	Status or Condition	
Bird Age	Any age of bird	
Muscle Color	Muscles with abscesses or channels in meat	
	Muscles with light or dark spots	
Liver Condition	Spotty or infected livers	
Disease Condition	Any disease symptoms or evidence	

A Non-Food Grade Ostrich carcass will exhibit one or more of the above undesirable traits

Note: A Non-Food Grade carcass must not be used for human consumption.